

नेशनल ऑटोमोटिव टेस्ट ट्रैक्स

NATIONAL AUTOMOTIVE TEST TRACKS

Limited Tender Document

For

NATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाड़ को 1.2 मीटर तक बढ़ाना का कार्य/

Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speed Track at

NATRAX

PITHAMPUR, DIST. DHAR (Madhya Pradesh)

Tender No. - NATRAX/PROC/C&I/24/73

National Automotive Test Tracks (NATRAX)/ नेशनल ऑटोमोटिव टेस्ट ट्रैक्स (NATRAX)

A unit of National Automotive Board (NAB)/ राष्ट्रीय मोटर वाहन बोर्ड (एनएबी) की एक इकाई

NH-52, Old Agra- Mumbai Highway/ NH-52, पुराना आगरा-मुंबई राजमार्ग, Next to Pithampur Flyover/ पीथमपुर फ्लाईओवर के बगल में,

Post Khandwa (Near Pithampur)/ पोस्ट खंडवा (पीथमपुर के पास)

Dhar District, Madhya Pradesh-454774/धार जिला, मध्य प्रदेश -454774 Phone: +919893892310, Fax – 07292-256101 Email: <u>a.prabhakar@natrip.in</u>, <u>anuj.kumar@natrip.in</u>

Page 1 of 22

General Instructions:

ALES

ender Document

नेशनल ऑटोमोटिव टेस्ट ट्रैक्स (NATRAX) नेशनल ऑटोमोटिव बोर्ड (NAB) के तहत एक ऑटोमोटिव टेस्टिंग एंड सर्टिफिकेशन सेंटर है, जो भारी उद्योग मंत्रालय, भारत सरकार द्वारा गठित एक स्वायत्त निकाय है। NATRAX को लगभग 3000 एकड़ भूमि पर पीथमपुर, जिला धार, (मध्य प्रदेश, भारत) के पास, सभी प्रकार के ऑटोमोबाइल के व्यापक परीक्षण और मूल्यांकन के लिए स्थापित किया गया है।	National Automotive Test Tracks (NATRAX) is an Automotive Testing & Certification Centre under National Automotive Board (NAB) which is an autonomous body constituted by Ministry of Heavy Industries, Government of India. NATRAX has been set up on approx. 3000 acres of land for comprehensive testing and evaluation of all types of automobiles, near Pithampur, Dist. Dhar, (Madhya Pradesh, India).
नेशनल ऑटोमोटिव टेस्ट ट्रैक्स (NATRAX), ऐसे योग्य और अनुभवी बोलीदाताओं से पासवर्ड संरक्षित या सीलबंद कोटेशन / बोलियां आमंत्रित करता है, जो काम करने, निष्पादित करने और कार्यान्वित करने के लिए इस दस्तावेज़ में निर्दिष्ट पात्रता मानदंड को पूरा करते हैं।तथा निर्धारित शर्तों पर कार्य करने के इच्छुक हैं । कार्यों का संक्षिप्त विवरण और एनआईक्यू/निविदा की समय-सीमा नीचे दी गई तालिका में संक्षेप में दी गई है:	The National Automotive Test Tracks (NATRAX), invites Password Protected OR Sealed Quotations/Bids from the qualified and experience Bidder(s) who meets the specified eligibility criteria in this document in the prescribed Proforma for performing, executing and implementing the works on the terms and conditions contained in this Bid document. Brief description of works and the timelines for NIQ/tender are summarised in the table below:

ओर मौजूदा पशु बाड़ को 1.2 मीटर 180 Days						
कार्य का वर्णन / Description of Workकी की श्राप्तकी की श्राप्तअंतिमबोली खोलने की तिथि और समय / Date की of Bid openingअनुमानित लागतWorkअवधि / Period of Contractकी तिथि / Date of start of floating of tenderतिथि / Last date for submissio n of Bid/ Date & Time of Bid openingलागत/ Estimated CostNATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/180 Days from the date of Issue of NTP.05th March 202421st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs2024 at 1500 Hrs2024 at 1500 Hrs21st March 2024 at 1500 Hrs2024 at 1500 Hrs2024 at 1500 Hrs21st March 2024 at 1500 Hrs2024 at 1500 Hrs21st March 2024 at 1500 Hrs21st March 21st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs21st March 21st March 21st March 2024 at 1500 Hrs21st March 21st Mar			निविदा के	बोली जमा		
कार्य का वर्णन / Description of Workआता प्रिपि / की तिथि / Period of Contractतिथि / तिथि / I तिथि और समय / Date & Time of Bid openingतिथि और समय मागत / Estimated CostNATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/180 Days from the date of Issue of NTP.21st March 2024 at 1500 Hrs21st March 2024 at 1530 Hrs21st March 2024 at 1530 Hrs21st March 2024 at 1530 Hrs21st March 2024 at 1530 Hrs		अनुबंध	फ्लोटिंग	करने की		
कार्य का वर्णन / Description of Workअवधि / Period of Contractतिथि / fतिथि / Last date for start of for n of Bidतिथि और समय / Date & Time of Bid openingNATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/180 Days from the date of Last21st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs2024 at 1500 Hrs2024 at 1500 Hrs		की	की शुरुआत	अंतिम	बोली खोलने की	अनुमानित
Period of ContractDate of for floating of tenderLast date of for submissio n of BidDate of Thick of Thick of Bid openingDistribute of Thick of BidDistribute of Thick <b< td=""><td></td><td>अवधि /</td><td>5</td><td>तिथि /</td><td>तिथि और समय</td><td>लागत /</td></b<>		अवधि /	5	तिथि /	तिथि और समय	लागत /
NATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/180 Days from the date of J.2 meter (material supplied by NATRAX) around High-Speed180 Days from NTP.21st March 202421st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs2024 at Lakh2000 Rs.	Work	Period	Date of	Last date	,	Photo: 1
NATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाड़ को 1.2 मीटर तक बढ़ाना का कार्य/180 Days from the date of 1202421st March 2024 at 1500 Hrs21st March 2024 at 1500 Hrs21st March Lakh2024 at Lakh				for	of Bid opening	Cost
NATRAX # हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाड़ को 1.2 मीटर तक बढ़ाना का कार्य/ Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speed	5 E	Contract	-			
ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/ Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speed180 Days from USth the Issue of NTP.21st March 2024 1500 Hrs21st March 2024 at 1500 Hrs21st March 2024 at 			tender	n of Bid		
ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/ Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speed180 Days from USth the Issue of NTP.21st March 2024 1500 Hrs21st March 2024 at 1500 Hrs21st March 2024 at 2024 at 1530 Hrs20000 Rs. Lakh	NATRAX मे हाई-स्पीड ट्रैक के चारों		20			1,111
तक बढ़ाना का कार्य/ Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speed	ओर मौजूदा पशु बाड़ को 1.2 मीटर	Service Supervised				1pc/
Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speedthe the date of NTP.March 2024 NTP.2024 at 1500 Hrs2024 at Hrs2024 at 	तक बढ़ाना का कार्य/	Days	05th	21st March	21 st March	20.00
Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speeddate of Issue of NTP.20241500 HrsHrsLakh		the	March			1007 000 No.
by NATRAX) around High-Speed NTP.	Raising of existing animal fencing	Construction Const	No. Constant St. Marchael St. Strategy		Contraction interaction (Contractioners)	Lakh
by NATRAX) around High-Speed NTP.	by 1.2 meter (material supplied			The second s		
	,	NTP.				_
	, , ,					

Pre bid meeting - 1500 hrs on 15th March 2024 at NATRAX Pithampur

Page 2/22

(NATRAX) Tender No. -NATRAX/PROC/C&I/24/73

|--|

1. कोटेशन/बोली प्रस्तुत करने का विवरण/ Quotations/Bid Submission details:

पासवर्ड से सुरक्षित बोली/कोटेशन बोलीदाता द्वारा निम्नलिखित ईमेल आईडी पर उपरोक्त समय और	Password protected Bids (Technical Bid & Financial Bid) is to be submitted by the Bidder at the following email ID's not later
तारीख के बाद या पूर्व सूचना पर अगली सुविधाजनक	than the aforesaid time & date or as next
तारीख और समय के रूप में प्रस्तुत किया जाना है।	convenient date & time on pre-intimation
mail to: a.prabhakar@natrip.in, anuj.kumar@natrip.i	n, proc.natrax@gmail.com
0.0	
OR	Cooled Dide (Technical Did & Einensial Did
मोहरबंद बोलियां/कोटेशन भी पूर्वोक्त तिथि और समय	Sealed Bids (Technical Bid & Financial Bid in two different sealed envelope) may also
पर NATRAX हब कार्यालय में सीलबंद लिफाफों में हार्ड	be submitted in the hard copy in <u>sealed</u>
कॉपी में जमा किए जा सकते हैं।	envelops at NATRAX Hub office in the
	aforesaid date and time.
उक्त तिथि एवं समय के बाद कोई बोली स्वीकार नहीं	No Bids will be accepted after the aforesaid
की जायेगी। हालाँकि, असाधारण मामलों में, NATRAX के	date and time. However, on exceptional
पास बोली खोलने से पहले बोली जमा करने के	cases, NATRAX reserves the right to extend
	the time/last date of submission of Bid to a next convenient date/time before opening
समय/अंतिम तिथि को अगली सुविधाजनक तिथि/समय	of the Bids.
तक बढ़ाने का अधिकार सुरक्षित है।	
टेलीग्राफिक रूप से या ट्रांसमिशन के अन्य माध्यमों	Bids sent telegraphically or through other
टेलीग्राफिक रूप से या ट्रांसमिशन के अन्य माध्यमों (टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो	means of transmission (telefax, etc.) which
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो	means of transmission (telefax, etc.) which are not Password Protected shall be treated
(टेलीफैक्स, आदि) के माध्यम से क्षेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना	means of transmission (telefax, etc.) which
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected.
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee.
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से अपनी बोली प्रस्तुत करने की प्राप्ति की पुष्टि कर	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से अपनी बोली प्रस्तुत करने की प्राप्ति की पुष्टि कर सकते हैं	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their
(टेलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से अपनी बोली प्रस्तुत करने की प्राप्ति की पुष्टि कर सकते हैं Disclaimer/ अस्वीकरण: NATRAX बिना कोई कारण बताए किसी या सभी	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their Bids submission from NATRAX NATRAX reserves all rights to accept/ reject/modify/split any or all proposals
(देलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से अपनी बोली प्रस्तुत करने की प्राप्ति की पुष्टि कर सकते हैं Disclaimer/ अस्वीकरण: NATRAX बिना कोई कारण बताए किसी या सभी प्रस्तावों को स्वीकार/अस्वीकार/संशोधित/विभाजित	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their Bids submission from NATRAX NATRAX reserves all rights to accept/ reject/modify/split any or all proposals without assigning any reasons. Bidders
(देलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से अपनी बोली प्रस्तुत करने की प्राप्ति की पुष्टि कर सकते हैं Disclaimer/ अस्वीकरण: NATRAX बिना कोई कारण बताए किसी या सभी	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their Bids submission from NATRAX NATRAX reserves all rights to accept/ reject/modify/split any or all proposals without assigning any reasons. Bidders shall not have any cause of action or claim
(देलीफैक्स, आदि) के माध्यम से भेजी गई बोलियां जो पासवर्ड से सुरक्षित नहीं हैं, उन्हें दोषपूर्ण, अमान्य माना जाएगा और खारिज कर दिया जाएगा।/ NATRAX गैर-प्राप्ति/गैर-वितरण/या किसी तकनीकी त्रुटि या गलत प्राप्तकर्ता के कारण किसी भी देरी के लिए जिम्मेदार नहीं होगा। बोलीकर्ता NATRAX से अपनी बोली प्रस्तुत करने की प्राप्ति की पुष्टि कर सकते हैं Disclaimer/ अस्वीकरण: NATRAX बिना कोई कारण बताए किसी या सभी प्रस्तावों को स्वीकार/अस्वीकार/संशोधित/विभाजित	means of transmission (telefax, etc.) which are not Password Protected shall be treated as defective, invalid and shall stands rejected. NATRAX shall not be responsible for any delays for non-receipt / non-delivery/ or any technical errors or due to wrong addressee. Bidders may confirm the receipt of their Bids submission from NATRAX NATRAX reserves all rights to accept/ reject/modify/split any or all proposals without assigning any reasons. Bidders

the

(NATRAZ)

Tender No. -NATRAX/PROC/C&I/24/73

NATRAX के किसी भी निर्णय के लिए बोलीदाताओं के पास कार्रवाई का कोई कारण या दावा नहीं होगा।	For NATRAX
	Head Procurement & Stores
इस निविदा में आगे चार अनुबंध शामिल हैं/ • अनुबंध-I (ए)-बोलीदाताओं के लिए निर्देश (आईटीबी)/ • अनुबंध-II (बी) - अनुबंध की विशेष शर्ते।/ • अनुबंध-II- अनुबंध/विनिर्देश/ड्राइंग और डिजाइन की तकनीकी शर्ते।/ • अनुबंध-III- वितीय प्रस्ताव/ • अनुबंध – IV- प्रस्तुत करने की विधि (ऑनलाइन माध्यम से)।/	 This tender further contain four Annexures: Annexure-I (A)-Instructions to Bidders (ITB). Annexure-I (B)- Special conditions of contract. Annexure-II- Technical Conditions of contract/Specification/Drawin gs & Design. Annexure-III- Financial Proposal. Annexure-IV- Method of submission (in case of Bid submission through online mode).

A. ANNEXURE I (A)- INSTRUCTION TO BIDDERS (ITB)

1. INSTRUCTION TO BIDDERS (ITB)

Bidders are required to submit their Bids in TWO Different Password Protected PDF files, named as "Technical Bid for Tender No. NATRAX/PROC/C&I/24/73" & "Financial Bid for Tender No. NATRAX/PROC/C&I/24/73" on the subject of the email, containing Password Protected PDF documents, as given below. The Password Protected bids shall be submitted at the mentioned email ID's before the closure of bid submission date/time.

OR

Sealed Bid/Quotation may also be submitted in the hard copy in two different sealed envelopes in the main envelope containing and namely "**Technical Bid**" and **Financial Bid**" and main envelope should name/marked as "**Bid document for NATRAX/PROC/C&I/24/73**" at NATRAX office, within the aforesaid date and time.

TET

In-case of online Bid submission through email, the passwords of technical bid and Financial Bid should be different, and shall be disclosed/submit by the bidder at the time of the opening of Bid.

Technical Bid- The details, documents, information pertaining to the Minimum eligibility criteria, technical competency, company/firm profile, signed copy of complete tender document or any other information should submitted in this portion.

Financial Bid: The details of Rates in the BOQ format and Letter of Financial Bid as given in this document should be submitted in this portion.

- 2. Bid Opening:
 - a) The technical bid shall be opened by the committee of NATRAX Officials in the presence of bidder (if available) for further scrutiny, evaluation, ranking & placement of order.
 - b) During the technical bid evaluation process, NATRAX may ask clarifications from the bidder through E-mail or in writing for confirming and consolidating their technical offers.
 - c) All such clarifications are required to be answered by the bidder by E-mail, within the time specified by NATRAX.
- 3. The Contract shall be governed by the terms and conditions specified in this tender document including amendments thereof, work order etc.
- 4. All Bidders are hereby explicitly informed that "CONDITIONAL OFFERS" or "OFFERS WITH DEVIATIONS" from the conditions of Contract, the quotation not meeting the minimum eligibility criteria, technical specifications, or any other requirements as stipulated in the Tender documents are liable to be "REJECTED".
- Bidder should give details of their technical soundness and provide list of customers/client of previous works of similar nature in Government Departments/ Undertakings/ Public / Private sectors/Autonomous etc.,
- 6. Minimum Eligibility Criteria: The bidder should fulfill either of the following two (A OR B):
- 6.1. The bidder should have valid registration with NATRAX under vender registration; the copy of registration letter should be submitted in technical bid.

Or The bidder should meet the following criteria:

ender Document

- i. Legal valid entity: it shall be valid legal entity in form of Proprietor/partnership/LLP/Pvt. Ltd company/Govt. entity/Limited Company/autonomous body etc, and should have valid registration with appropriate governing authority. To supporting this, proof should have to be submitted along with quotation.
- Turnover: it should have minimum turnover of <u>Rs. 50 Lac</u> during last 3 FY (2020-21, 2021-22 & 2022-23), to supporting this, bidder have to submit a copy of balance sheet/CA Certificate clearly indication the turnover and <u>UDIN should also mandatorily mentioned</u> on the same, along with quotation.
- iii. MEC-III- Experience: it should have minimum 3 years' experience in similar work*

Similar works*-successfully completed Works pertaining to <u>"GI Sheet</u> <u>fabrication/MS Fabrication/ MS works etc"</u> for any Govt Dept.,/Reputed firm Private Institution/Academic Institutions, copy of valid LOA/Agreement/work order & completion certificate should be submitted with quotation. In case, work order & completion certificate issued by other than Govt. entity, NATRAX reserve the rights to seeking the 26AS or TDS certificate for the relevant period for authenticity of said order & certificates.

Exemption: valid Startups registered firms shall be exempted from above B (ii & iii) subject to submission of valid registration certificate and supporting documents for technical competency.

- 7. **Opening & Evaluation of Quotations**: the Technical bids shall be opened by the committee of NATRAX officials and shall be evaluated in following mannar:
- 7.1. If the bidder is registered vender of NATRAX, the bids of such bidder shall be accepted & marked "Qualified" for further process.
- 7.2. If bidder is not registered vender of NATRAX, than the evaluation shall be done as per the MEC as mentioned in this document and the bidder meeting the mentioned criteria shall be accepted and Marked as "Qualified" for further process.
 - 8. Financial Bid opening & evaluation-

8.1. The bids shall be opened by committee at NATRAX. Bidder or Bidder Authorized Representative are advised to attend the bid opening on the given date and time.

- **8.2.** The L-1 bidder in the quoted rates shall be deemed as successful Bidder) to determine the successful Bidder.
- **8.3.** For the evaluation of the Bids, the eventual Bid prices shall be ascertained after considering all the terms and conditions associated with the Bid price specified in the Bid document and after detailed scrutiny of the quotations/bids.
- **8.4.** No Bidder shall be allowed to propose/carry out any revision / correction / modification in his Price Bid offer.
- **8.5.** If there is a discrepancy between the sub total/s and the total price that is obtained by multiplying the unit price and quantity/adding the sub total/s, the sub total/s shall prevail and the total price shall be corrected, unless in the opinion of the Employer that there is an obvious misplacement of the decimal point in the sub total price, in which case the total price as quoted shall govern and the sub total/s shall be corrected;
- **8.6.** If there is an error in a total, corresponding to the addition or subtraction of sub totals, the subtotal/s shall prevail and the total shall be corrected; and
- **8.7.** The Bidder needs to fill the rates against each item in word as well as in figures as mentioned in BOQ (Financial Bid). In case of any discrepancy, the rate provided in word shall prevail and correct the amount against the item. All the prices should be inclusive of all taxes and GST.
- **8.8.** The amount stated in the Letter to Bid will be adjusted by the Employer in accordance with the above procedure for the correction of errors and, shall be considered as binding upon the bidder. If the Bidder does not accept the corrected amount of Bid, the bid will be rejected.
- **8.9.** Contract negotiations, if any, will be held before the issuance of Letter of Acceptance/ Notification of Award. The negotiation shall conclude with a revised offer letter from the successful bidder, affecting the discounts if any and accepted by NATRAX.

9. Award of Work:

Prior to the expiry of the period of Bid validity prescribed, NATRAX will issue to the Successful Bidder, the Work Order. The Successful Bidder shall return one copy of the Work Order to NATRAX duly acknowledged and signed by the authorized signatory, within two [2] days of receipt of the same by him.

10. Validity of bids:

The rate quoted should be valid for a minimum period of 90 days from the last date of Submission of Quotation. No claim for escalation of rate will be considered at any point



of time.

- **11.** Prospective bidders requiring any clarification of the Tender may write to <u>a.prabhakar@natrip.in; anuj.kumar@natrip.in</u>,
- **12.** The Bids / related correspondences shall be made in English language.
- **13.** While all efforts have been made to avoid errors in drafting of the Tender documents, the Bidder is advised to check the same carefully. No claim on account of any errors detected in the Tender documents shall be entertained.
- 14. The Bidder shall carry out all the work strictly in accordance with Specification, Standard Practices and instructions of NATRAX or NATRAX's representative and deviation on any account will not be permitted. If in the opinion of NATRAX, changes have to be made and it desires the Bidder to carry out the same. The decision of NATRAX in such cases shall be final and shall not be open to arbitration.
- **15.** The successful Bidder is bound to carry out associated work necessary for the completion of the job even though such items are not included in the quantities to achieve end results and deemed to be priced in the other items. No claim on this account shall be entertained.
- **16.** Addendum / Corrigendum (if required) to the Tender may be issued prior to the date of opening of the Bid to clarify or to intimate any changes/modifications etc. All such addendum / corrigendum shall be treated as an integral part of the Tender.
- **17.** Any effort by a Bidder to influence NATRAX or any of its functionaries in the process of examination, clarification, evaluation and comparison of tenders and in decisions concerning award of contract, may result in rejection of the Bid.
- **18.** In order to afford prospective bidders, reasonable time for preparing their Quotes after taking into account such amendments, NATRAX may, at its discretion, extend the deadline for submission of Bids.
- **19.** Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations concerning the award of Contract shall not be disclosed to Bidders or other persons not officially concerned with such process.
- 20. NATRAX reserves the right to accept / reject or modify any Bids, and to annul the Tender process and reject all Bid(s)/quotation(s), at any time prior to award of Contract, or to divide the Contract between/amongst Bidders without thereby incurring any liability to the affected Bidder or Bidders or any obligations to inform the affected Bidder or Bidders of the grounds for NATRAX's action. Any Bidder not following ITB stands



rejected.

Annexure-I (B)

B. Special Conditions of contract:

P	ectal Conditions of	contract.			
a.	Scope of work	NATRAX मे हाई-स्पीड ट्रैक के चारों ओर मौजूदा पशु बाइ को 1.2 मीटर तक बढ़ाना का कार्य/ Raising of existing animal fencing by 1.2 meter (material supplied by NATRAX) around High-Speed Track at NATRAX 			
b.	Contract Period	180 Days from the date of Issue of Notice to Proceed (NTP).			
с.	Engineer In- charge (EIC)	Shall be notified to successful bidder.			
d.	Rate Firmness	ne charges/rate quoted by supplier must be firm throughout e Contract period and no escalation of any kind is prmissible. ne "final contract value" shall be derived on the completion of pork at actual.			
e.	Defect Liability Period	Six months			
	Payment, Mode and Retention	 i. 90% Payment shall be made IPC Based on the submission of bills along with supporting document and certified by EIC. ii. 10% retention (up to maximum 5% of contract amount) shall be deducted from each IPC and same shall be paid after successful completion of warrantee period of 6 months from the date of completion of work. iii. Payment shall be made after statutory deduction as applicable. iv. Advance payment: maximum 10% of contract value may be paid after receiving request from contractor and submission of bank guarantee of 110% of the requisite amount. An interest 10% per annum shall be charged on the outstanding advance payment. The said advance payment shall be released in minimum two instalments. Contractor has to submit a utilization certificate for the said advance payment. v. The GST/Taxes & duties of Govt. will be reimbursed on actual basis upon the submission of original receipt / documentary evidence. All the payments shall be made through RTGS only. 			





		Quantity Variations / Revision of Rates	NATRAX shall, having regard to the Scope of Works and the approved Contract Price, shall have power to order variations within the Scope of the Works as considers necessary or avoidable during the progress of the Works. Such variations shall form part of the Contract and the Contractor shall carry them out and include them in updated Programmes produced by the Contractor. Oral orders for Variations, unless followed by written confirmation, shall not be taken into account. There will not be any revision in rates for all the items provided in BOQ for any extent of variations, during the entire currency of the contract. New rate or price shall be derived from market rate. or New rate or price shall be derived from any relevant rate or price in the contract BOQ. or New Rate or Price for NON BOQ items shall be finalized by the NATRAX representative based latest Applicable DSR or MPSoR. During repairing, if anything other than the above is found, its payment will be made at the market rate as per the quantity required.
	h.	Liquidated Damages	0.1% of the Contract Price per day to a maximum of 10% of the Contract Price.
	i.	Project Facility / Place of Installation/deliv ery	NATRAX Site NH-52, Old Agra- Mumbai Highway, Near to Pithampur Flyover, Post Khandwa (Near Pithampur), Dhar District, Madhya Pradesh-454774
	j.	Other Terms and conditions	 i. The bidder should submit list of the equipment's/machines with them. In case machines/equipment's are planned to hire from others the rent agreement for hiring the same should be submitted. ii. No extra charge is payable for to and fro, boarding and lodging for the service personnel coming to NATRAX.
	k.	Water supply & Electricity Charges	 i. Electricity - at one point shall be provided on chargeable basis. OR Bidder may arrange the Electricity through DG on its own cost for execution of work. ii. Water supply: Free of Cost at the available point.
hour	1. ender Dor	Termination of Contract	If the work/service is found to be not satisfactory or not found as per the specification indicated in this document, the Contract will be terminated with short notice of 14 days in writing. In case of termination the balance work shall be completed by Page 10/22



		NATRAX through any other party on the risk & cost of contractor.
m.	Integrity pact	The successful bidder needs to execute an integrity pact (as per
		Appendix-A).

C. The bidder should give the following, duly signed and sealed, failing to which the bids will be summarily rejected:

D. DECLARATION:

(To be executed on Bidder's letter head)

I/We having aquainted with the content & requirement of this Tender No. NATRAX/-------, dated ________ and do hereby accept to furnish the same in compliance with all terms & conditions. I/we have not tampered/modified the tender in any manner and breach of any such, will result in rejection of Tender and / or prosecuted.

I / We hereby declare that the firm/company has not been blacklisted or debarred in the past by any other Government organization from taking part in Government tenders.

In case the above information found false or in case of breach of any of terms and conditions at any stage of Tender or Contract, I/We are fully aware that the Tender/ Contract will be rejected / cancelled by NATRAX and Payments (for completed/partially completed), Retention, Bid Security (EMD), Performance Security, etc., shall be forfeited.

Signature of the Bidder:		
	- <u>-</u>	
Name and Designation:		
Address:		
Contact details:		

Place: Date:

Seal of the Bidder's Firm



Page 11/22

ANNEXURE - II

TECHNICAL CONDITIONS OF CONTRACT/ SCOPE OF WORK

Scope of Work for Raising of existing animal fencing by 1.2 meter around High-Speed Track at NATRAX Pithampur

Labour Part

Fabrication, Errection and fixing of Concertina Coil for Raising of height of Animal Fencing around HST (As per drawing attached)

Structural steel work

Structural steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position all complete.

1.) fabrication of post (As per drawing)

Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and etc. as required

- a. Straitening/Cutting/fabrication of MS angle 50x50x6 of the "Y" shape Post.
- b. Drilling of holes for fixing of barbed wire/ concertina coil
- c. Transportation of MS angle from main store to site.
- d. Loading and unloading of MS angle
- e. Safety and Security of Material and labour
- f. Welding of "Y" shape post on existing animal fencing
- g. Scaffolding/stagging at site
- h. Electricity in the scope of contractor.
- i. Tools and tackles.
- j. Anti rusting paint on welded portion.
- k. Other than MS angle 50x50x6 mm all material like welding rod etc required for the above work will be provided by bidders.

2) Labour charges of Fixing of Barbed Wire

Fencing with barbed G.I. wire provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.38 kg per 100 m (minimum) between the two posts fitted and fixed with G.I. staples, turn buckles etc. complete. (GI Barbed Wire Supplied by NATRAX): - Payment to be made per metre of total length of barbed wire used.

- a. Transportation of Barbed Wire from main store to site.
- b. Loading and unloading of Barbed Wire
- c. Safety and Security of Material and labour
- d. Fixing of Barbed Wire on post on existing animal fencing
- e. Scaffolding/stagging at site
- f. Supply and fixing of GI clip.
- g. Tools and Tackles.

ender Document

Page 12/22

h. Other than Barbed wire all material like GI Staples and GI clips required for the above work will be provided by bidders.

3) Labour charges of Fixing of Concertina Coil

Fixing of concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00m apart and with 4 nos horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer in charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5 mm thick) wire of high tensile strength of 165 kg/ sq mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (Concertina Coil & R.B.T. reinforced wire shall be supplied by NATRAX at Main Store).

- a. Transportation of Concertina Coil from main store to site.
- b. Loading and unloading of Concertina Coil
- c. Safety and Security of Material and labour
- d. Fixing of Concertina Coil on post on existing animal fencing
- e. Scaffolding/stagging at site
- f. Supply and fixing of GI clip and GI Staple.
- g. Tools and Tackles
- h. Other than Concertina Coil & R.B.T. reinforced wire all material like GI Staples and GI clips required for the above work will be provided by bidders.
- i. Payment will be made as per actual measurement as site on running meter of concertina coil basis.


4.) Galvanisation of MS Angle Post

Hot deep Galvanisation up to 85 microns to 110 micron of MS angle 50x50x6 mm "Y" shaped inclusive Transportation, Loading, Unloading complete as per direction of Engineer-In-Charge.

- a. Transportation of "Y" shape angle iron post from main store to your premises and after galvanisation shifted to our main store.
- b. Loading and unloading of "Y" shape angle iron post.
- c. Safety and Security of Material and labour.
- d. Tools and Tackles.
- e. Payment will be made as per actual weight of finished material.
- f. Other than Fabricated Y shape MS angle 50x50x6 all other material clips required for the above work will be provided by bidders.




narraz Tender No. -NATRAX/PROC/C&I/24/73



X

*

Page 14/22



Form for the submission of Financial Bid

Financial Proposal Submission Form (To be Executed on Letterhead of the Bidder) FINANCIAL PROPOSAL SUBMISSION FORM

[Location, Date]

To: The Head Procurement NH-52, Old Agra- Mumbai Highway, Near to Pithampur Flyover, Post Khandwa (Near Pithampur) Dhar District, Madhya Pradesh-454774

Dear Sir,

We, the undersigned, offer to provide the equipment & services in accordance with your Tender No. , dated _ _ and our Technical Bid. Our attached Financial Bid includes the price in the format for financial bid provide as part of tender documents. The total price of our offer is (in figures and words) and includes all

the deliverables under this tender as per our Technical Bid.

We hereby declare that all the information and statements made in this Bid is true and complete in all respects and is as per the guidelines and terms & conditions laid down in the tender document. We further understand that any information which is found false or is not as per the guidelines and terms & conditions of the tender document may lead to our disqualification.

Our Financial Bid shall be binding upon us subject to the modifications resulting from Contract negotiations, up to expiration of the validity period of the Bid.

We understand NATRAX has right to accept or reject our Bid as per its discretion.

Tender Document	Page 16/	22
Address:		
Name of Firm:		
Name and Title of Signatory:		
Authorized Signature [In initials]:		
Authorized Signature [In full]:		
Yours sincerely,		

ANNEXURE-III

Bill of Quantities (BOQ)/Financial Bid

S.NO.	DESCRIPTION OF ITEM	UNIT	QUANTITY	RATE	AMOUNT
1	Labour charges for Structural steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position all complete.(as per detailed scope of work and drawing attached) note: Other than MS angle 50x50x6 mm all material like welding rod etc required for the above work will be provided by bidders.	Kg	28000		
2	Fencing with barbed G.I. wire provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.38 kg per 100 m (minimum) between the two posts fitted and fixed with G.I. staples, turn buckles etc. complete. (GI Barbed Wire Supplied by NATRAX): - Payment to be made per metre of total length of barbed wire used. note: Other than Barbed wire all material like GI Staples and GI clips required for the above work will be provided by bidders.	Meter	84000		
3	Fixing of concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00m apart and with 4 nos horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer in charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5 mm thick) wire of high tensile strength of 165 kg/ sq mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (Concertina Coil & R.B.T. reinforced wire shall be supplied by NATRAX at Main Store). Note: Other than Concertina Coil & R.B.T. reinforced wire all material like GI Staples and GI clips required for the above work will be provided by bidders.	Meter	12000		

ender Document

Page 17/22

(natrax)

Tender No. -NATRAX/PROC/C&I/24/73

4	Hot deep Galvanisation up to 85 microns to 110 micron of MS angle 50x50x6 mm "Y" shaped inclusive Transportation, Loading, Unloading complete as per direction of Engineer-In-Charge. Note: Other than Fabricated Y shape MS angle 50x50x6 all other material clips required for the above work will be provided by bidders.	kG	28000	
	TOTAL AMOUNT			

Note: the quoted rates should be inclusive of GST, Transportation, Labour charges etc all.

SEAL & SIGNATURE OF BIDDER'S



Page 18/22

ANNEXURE -IV

NATRAX Bank details to be used for submission of EMD/Tender Fee (if any) & procedure for passwords protection


गिरिक स्टॉगन तसी रन थेवनपुर पान - ४५४३७५ जाति की गई प्रतिज्ञ से तीन गए के लिए केव/अद	Concernence and the date of score
Bank of Baroda Pros / NETT IFOC OCDE: BARBORTHAM CBS / NETT IFOC OCDE: BARBORTHAM व = IE IE <td>D D B B Y Y Y Y or Bearer या धारक को</td>	D D B B Y Y Y Y or Bearer या धारक को
rtupees रगय अदा करें ₹	.TEST.TRACKS.MATRAX.DIVISON
SD/2012/UF भारत की राजी खारकाओं पर भारतुब्ध पर देव P/T Payable at par at all transitions in India	AUTHORISED SIGNATORY
#*00000 k#* 1,520 820 86 1, 0 k 875 88 18 3 k	
	बिंग अगिम सड़ीहूम Bank of Barota Barok of Barota Barota Herri Feb CODE: BARBORTHAM Rupees रुगाये Rupees रुगाये For National Automotiva Suzorozue Pay Pay Suzorozue Pay Suzorozue Pay Suzorozue Pay Suzorozue Pay Pay Pay Pay Pay Pay Pay Pay



Page 19/22




Steps for loading passwords in PDF Files-Method I



Step 1- please open PDF file and click on "Advance" tab.





natrax

Tender No. -NATRAX/PROC/C&I/24/73

Step 3- in security tab, please click on "2 Encrypt with Password".

Step 4- after that below window will open, please check in option **"Required a password to open the document"**. Than please fill password and click **"ok**".

Compatibility: Accodet 7.0 and later Encryption Level: 128-bit AES Select Document Companents to Encrypt Incrypt all document contents Image: All contents contents corpt metadata (Acrobat 6 and later compatible) Incrypt all document Compatible Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents of the document Image: All contents Image: All contents of the document Image: All contents Image: All contents Image: All contents Image: All conte		Password Security - Settings	
Select Document Components to Encrypt © Encrypt all document contants © Encrypt all document contants © Encrypt all document contants © Encrypt all document contants of the document will be encrypted and search engines will not be able to access the document's metadata. © Require a password to open the document. Document Open Password: © This password will be required to open the document. Permission: Permission: Permission: Printip Allow: Integrate Allow: Printip Allow: Integrate and states for the visely impaired		Compatibility: 🛛 Acrobat 7.0 and later 👻	
 Broryet all document contents: Broryet all document contents except metadata (Acrobat 6 and later compatible): Broryet all document contents except metadata (Acrobat 6 and later compatible): All contents of the document will be moryed and search engines mill not be able to access the document's metadata. Commant Open Password: This password will be required to open the document. Permissions: Restrict existing and printing of the document. Permissions: Change Permissions Password: Distings Allowed: Any except existing pages: Change Configure 1 feet, Images, and other content Change to sceen reade drokes for the visely impaired 		Encryption Level 128-bit AES	
All contents accept metadata (Acrobat 5 and later compatible) Interpret all documents contents except metadata (Acrobat 5 and later compatible) Interpret all documents (Acrobat 7 and later compatible) Interpret all documents will be encypted and search engines will not be able to access the document's metadata. Interpret account of the document Interpret account of the document. Permissions Restrict existing and printing of the document. Permissions Restrict existing and existing pages Intelle test access for scene reside divises for the visually impaired Method	×	Select Document Components to Encrypt	
Charge Allow Allo		(9) Encrypt all discument contents	
All contents of the document will be encycled and search engines will not be able to access the document's metadata. All contents of the document Document Open Proceede Document Open Proceede This password will be required to open the document. Permission Restrict editing and printing of the document. A password will be required in order to change these parmission settings. Change Permissions Password: Printing Allowid: High Restrict editing pages: Change Allowid: Any except edited to page the document Printing Allowid: Any except edited to page the document Any except edited to restere Thable test access for screen reided docles for the visually impaired Allowid: Allowid: Allowid: Allowid: Allowid: Allowid: Any except edited to page the pages: Allowid: Allowid: Any except edited to page the pages: Allowid: Allowid: Allowid: Any except edited to page the pages: Allowid: A	l'anne anne anne anne anne anne anne anne	Encrypt all document contents except metadata (Acrobat 6 and later compatible)	
		C Encrypt only file attachments (Acrobat 7 and later compatible)	
Consument Open Passoverid		All contents of the document will be encrypted and search engines will not be able to access the document's metadata.	
This password will be required to open the document. Pernicipine: Restrict edding and printing of the document. A password will be required in order to change these parnissions settings. Change Pernicipine: Printing Allowed: High Resolution Changes Allowed: Any except eddracting pages Changes of the discussion reades devices for the visually impaired Metry Help CK Cancel		[2] Require a password to open the document	
Permissions Restrict edding and pinting of the document. A password will be required in order to change these parmission settings. Change Permissions Password: Printing Allowed: High Resolution Changes Allowed: Any except extracting pages Changes copying of test, images, and other content Enable copying of test, images, and other content Enable test access for screen reads devices for the visually impaired		Document Open Pascourd	
Permissions Restrict edding and pinting of the document. A password will be required in order to change these parmission settings. Change Permissions Password: Printing Allowed: High Resolution Changes Allowed: Any except extracting pages Changes copying of test, images, and other content Enable copying of test, images, and other content Enable test access for screen reads devices for the visually impaired		This baseword will be required to part the document.	
Change Permissions Password: Printing Alicence: High Resolution Change: Alicence: Alicence: Arry except dottacting pages Change: Alicence: The second of the content Change of tool, images, and other content Change of tool, images, an			
		Restrict editing and printing of the document. A parsword will be required in order to change these permission settings.	
		Change Permissions Password:	
Change: Allowed. Any except extracting pages Change: Allowed. Any except extracting pages Change: Allowed. Change: A			
C Enable copying of text, images, and other content Denable text access for screen reades devices for the visually impaired FR			
"R		A month of the second se	
"R ent			
Help CK Cancel			
		"R Help OK Concel ent	
		sh	



Page 21/22

(NATRAX)
Tender NoNATRAX/PROC/C&I/24/73

8000833	Pessword Security - Settings
	Compatibility Acrobat 7.0 and later
2	Encryption Level: 128-bit AES
16 dise	Select Document Components to Encrypt.
	9: Encrypt all document contents
	Encrypt all document contents except metadata (Acrobat 6 and later compatible)
	C Encrypt only file attachments (Acrobial 7 and later compatible)
	 All contentional the document will be an owned and cause handmar will not be able to assare the document immetral stat.
	Adobe Acrobat - Confirm Document Open Password
	Require a passwori Require a passwori Please confirm the Document Open Pessword. Be sure to make a note of the
	Document Open P2 Parse contains of personal will be required to open the balance index of the balance index of the
	This password Document Open Password
	Permusicns OK Cancel
	C Restrict editing
	Change Permissions Persword
	Ferting Interest High Resolution -
	Claught Alone-6 Any except extracting pages -
	C Enable copying of test, images, and other content
	Enable test access for screen reader devices for the visually impaired
40	ent
	Help OK Cancel
sh	ber by servareme sheet we has at oherit workshop benung and

Step 5- after that below window will be open, please fill same password again, and click " \mathbf{ok} ".

